Thursday, 16/08/2007 12:01:13 PM Linda Lacelle User **Process Sheet Drawing Name** : SPACER : CU-DAR001 Dart Helicopters Services Customer Jok Number : 34034 10980 **Estimate Number** : D2808 N)A Part Number P.C. Number S.O. No. : N/A D2808 REV A1 This Issue : 16/08/2007 **Drawing Number** Project Number : N/A Prsht Rev. : MACHINED PARTS Type **Drawing Revision** First Issue : 32896 Material Previous Run : 05/09/2007 Each 30 **Um**: Due Date Qty: Written By **Checked & Approved By** Comment Now turned in house **Additional Product** Jot Number: **Description:** Seq. #: 1.0 M6061T6R0625 6061-T6 Round Bar .625" Comment: Qty.: 1.6695 f(s) 0.0557 f(s)/Unit Total: 6061-T6 Round Bar .625" (M6061T6R0625) 2.0 HARDINGE Comment: HARDINGE CNC LATHE SMALL 1-Turn as per Folio FA205(Mesure D3387 Bracket .507" Dia for Proper press-fit) 2-Deburr 3.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK QC8 4.0 Comment: SECOND CHECK HAND FINISHING HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 ZT Chemical Conversion Coat as per QSI 005 4.1

Dage 1

Dar	t A	erc	spa	ace	Ltd

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
			:					
			,					
Part No		PAR #: Fault Category:	_ NCR: Yes	No DC	2A: 5	Date: _d	07/08/22	
			QA:	N/C Close	ed:	_ Date:		

NCR:			WORK ORD	ER NON-CONFORMANO	CE (NCR)			
		Description of NC		Corrective Action Section B		Verification		Approval QC Inspector
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	
							<u> </u>	
				•				
		•						

NOTE: Date & initial all entries

Dat a: Us€r:

Thursday, 16/08/2007 12:01:13 PM

Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SPACER

Job Number: 34034

Part Number: D2808

ob Number:



Seq. #:

Machine Or Operation:

Description:

6.0

INSPECT POWDER COAT/CHEMICAL CONVERSION

Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

PACKAGING RESOURCE #

7.0

Comment: PACKAGING RESOURCE #1

Identify and Stock Location:

QC21



8.0

Comment: FINAL INSPE TION/W/O RELEASE

CL07/08/28

Job Completion

Dart Aerospa	ce	Ltd
--------------	----	-----

W/O:		WORK ORDER CHA	ANGES	3ES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
				-					
Dort No.	-	DAD # . Foult Cotomon.	NOD V	N- DO	_	D-4			

Part No:	PAR #: Fault Category:	NCR: Yes No DQA: D	Date:
		QA: N/C Closed:	Date:
NCR:	WORK ORDER NON-CONFORM	MANCE (NCR)	

NCR: WORK ORDER NON-CONFORMANCE (NCR								
		Description of NC	Description of NC Corrective Action Section B				Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Chief Eng	QC Inspector
							TI	
				is a				
				1.4 1 <u>.</u> 2				
i								


NOTE: Date & initial all entries






DESIGN DRAWN BY				DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
	CHEC	(ED	APPROVED	DRAWING NO. REV.	A			
		a	1 CH	D2808 SHEET 1 OF	1			
	DATE	***************************************		TITLE SCA	LE			
	00.1	11.07		SPACER	2:1			
	Α		00.11.07	NEW ISSUE				
	Al	4-10	01,04,26	ADD POWDER LOAT; \$0.500 WAS \$0.507	-			







TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED BREAK ALL UNMARKED SHARP CORNERS 0.010 TO 0.020

MATERIAL: 6061-T6 (QQ-A-250/11) OR (QQ-A-225/8) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

POWDER COAT WHITE (4.3.5.1) OR GREY SAMOTEX (4.3.5.6) OR BLACK SAMPLEX (4.3.5.7) OR GREEN SAMETEX (43.5.8) PER DAME QSI COS 4.3

Copyright © 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD

Description: Spacer

Part Number: D2808

Inspection Dwg: D2808 Rev: A1

Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.191	+0.005/-0.000	0.191	$\sqrt{}$			
Ø0.313	+0.005/-0.000	0.316				
Ø0.500	+/-0.005	0.499	V			
0.641	+/-0.010	0.642	/			
0.359	+/-0.010	0.360	/			
0.040 x 45°	+/-0.010	0.04 x 45°				
R0.020	+/-0.010	0.02	V			
.*						
						·

Measured by:	Audited by:	Prototype Approval:	N/A
Date: 07/08/20	Date: 07/08/C1	Date:	N/A

	Rev	Date	Change	Revised by	Approved
I	Α	05.04.26	New Issue	KJ/JLM	